

110 E. Butler Road
Unit J
Mauldin, SC 29662

864-377-4838

info@southernelementlabs.com



**Southern
Element
Labs**

Customer: Self Evolve

Product Name: Aquamin Plant Calcium 150 Capsules

Lot Number: AFC-1060

Sample ID: 260226

Dosage Form: Capsule

Serving Size: 5 Capsules

Customer Address:

1225 Country Club
Indianapolis, IN 46234

Testing Date(s): 04/24/26 – 05/08/26

Report Date: 06/30/26

Average Net Fill: 746 mg

CERTIFICATE OF ANALYSIS

Chemical Analysis	Method	Specification	Result	Units
Calcium (from Aquamin®)	ICP-MS	1,000	1,010	mg
Magnesium (from Aquamin®)	ICP-MS	75	79	mg

Heavy Metal Analysis	Method	Specification	Result	Units
Arsenic	ICP-MS	≤10	1.15	mcg/DD
Lead	ICP-MS	≤0.5	0.05	mcg/DD
Cadmium	ICP-MS	≤4.1	1.36	mcg/DD
Mercury	ICP-MS	≤0.3	0.13	mcg/DD

110 E. Butler Road
Unit J
Mauldin, SC 29662

864-377-4838

info@southernelementlabs.com



**Southern
Element
Labs**

Microbial Analysis	Method	Specification	Result	Units
Total Aerobic Vial Count	USP <61> or equivalent	<100,000	<100,000	cfu/g
Total Yeast & Mold	USP <61> or equivalent	< 10,000	<10,000	cfu/g
Coliforms	USP <61> or equivalent	<100	<10	cfu/g
E. coli	USP <62> or equivalent	Absent in 10g	None Detected	cfu/g
Salmonella sp.	USP <62> or equivalent	Absent in 10g	None Detected	cfu/g
S. aureus	USP <62> or equivalent	Absent in 10g	None Detected	cfu/g

Chad Hinson

Reviewed By: Chad Hinson (Jul 1, 2026 12:57:21 MDT)

Chad Hinson, Laboratory Director

07/01/2026

Date: _____

This certificate of analysis shall not be reproduced, except in full, without written permission from the laboratory. This certificate of analysis results apply to the items tested. Further information is available, upon request, when needed for interpretation of the test results. This certificate of analysis is provided for the exclusive use of the listed customer. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.